

# MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND MANUFACTURER'S INFORMATION						
<b>NFPA Rating:</b> Health-1; Flammability-2; Reactivity-0; Special--None Manufactured For: <b>Aftermarket Auto Parts Alliance, Inc.</b> Address: 14351 Blanco Road San Antonio, Texas 78216-7723			<b>HMIS Rating:</b> Health-1; Flammability-2; Reactivity-0; Personal Protection-B <b>DOT Description:</b> Consumer Commodity ORM-D <b>Identity</b> (trade name as used on label): <b>PARTS MASTER TUNE UP (GAS ADDITIVE)                      (ENGINE MAINTENANCE KIT)</b>			
Date Prepared: 12/11/03		Prepared By: LMA		MSDS Number: BJ0030 Revision: 0		
Information Calls: (770) 422-2071			NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA			
<b>DOT EMERGENCY RESPONSE PHONE NUMBER: (800) 424-9300</b>						
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION						
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **
<b>PETROLEUM DISTILLATES</b>		8008-20-6	No	5 mg/M3 as mineral oil mist	100 mg/M3 (skin)	d
<b>2-BUTOXYETHANOL</b>		111-76-2	Yes*	50 (skin)	20	d
<b>DIACETONE ALCOHOL</b>		123-42-2	No	50	50	d
<b>*Glycol Ethers Category</b>						
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS						
<b>Boiling Range:</b> 279-343°F			<b>Specific Gravity</b> (H2O = 1): 0.80			
<b>Vapor Pressure (Aerosols)</b> (PSIG @ 70°F): N/Ap			<b>Vapor Pressure</b> (Non-Aerosols) (mm Hg and Temperature): N/E			
<b>Vapor Density</b> (Air = 1): N/E			<b>Evaporation Rate</b> (butyl Acetate = 1): N/E			
<b>Solubility in Water:</b> Soluble			<b>Water Reactive:</b> No			
<b>Appearance and Odor:</b> Purple liquid with solvent odor.			<b>VOC (Federal EPA Definition) = 98% (by weight)</b>			
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA						
<b>Flammability</b> as per USA Flame Projection Test (aerosols): N/Ap		<b>Auto Ignition Temperature:</b> N/E		<b>Flammability Limits in Air</b> by % in Volume: % LEL: N/E % UEL: N/E		
<b>FLASH POINT AND METHOD USED</b> (non-aerosols): 148° F PMCC			<b>EXTINGUISHER MEDIA:</b> Foam, dry chemical; use water spray to cool exposed surfaces.			
<b>SPECIAL FIRE FIGHTING PROCEDURES:</b> Self-contained breathing apparatus.						
<b>Unusual Fire &amp; Explosion Hazards:</b> None identified.						
SECTION 4 - REACTIVITY HAZARD DATA						
<b>STABILITY</b> <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE			<b>HAZARDOUS POLYMERIZATION</b> <input type="checkbox"/> WILL <input checked="" type="checkbox"/> WILL NOT OCCUR			
<b>Incompatibility</b> (materials to avoid): Any material not compatible with water.			<b>Conditions to Avoid:</b> None known.			
<b>Hazardous Decomposition Products:</b> Includes, but not limited to smoke, fumes, carbon monoxide, carbon dioxide.						
SECTION 5 - HEALTH HAZARD DATA						
<b>PRIMARY ROUTES OF ENTRY:</b> <input checked="" type="checkbox"/> INHALATION <input type="checkbox"/> INGESTION <input checked="" type="checkbox"/> SKIN ABSORPTION <input checked="" type="checkbox"/> EYE <input type="checkbox"/> NOT HAZARDOUS						
<b>ACUTE EFFECTS:</b>						
<b>Inhalation:</b> Inhalation of vapors may cause irritation to respiratory tract and mucous membranes.						
<b>Eye Contact:</b> Irritation.			<b>Skin Contact:</b> May irritate and/or cause dermatitis.			
<b>Ingestion:</b> Nausea, vomiting, and diarrhea.						
<b>CHRONIC EFFECTS:</b> Chronic overexposure may cause mild, reversible liver and kidney effects and blood abnormalities in laboratory animals.						
<b>Medical Conditions Generally Aggravated by Exposure:</b> May aggravate existing eye, skin or upper respiratory conditions.						
EMERGENCY FIRST AID PROCEDURES						
<b>Eye Contact:</b> Flush with water for at least 15 minutes; if irritated, seek medical attention.						
<b>Skin Contact:</b> Remove contaminated clothing; launder before re-use. Wash skin with soap and water; if irritated, seek medical attention.						
<b>Inhalation:</b> Remove to fresh air; resuscitate if necessary. Administer oxygen if breathing is difficult. Seek medical attention.						
<b>Ingestion:</b> <b>DO NOT INDUCE VOMITING.</b> Seek immediate medical attention.						
SECTION 6 - CONTROL AND PROTECTIVE MEASURES						
<b>Respiratory Protection (specify type):</b> If vapor concentration exceeds TLV, use respirator approved by MSHA/NIOSH.						
<b>Protective Gloves:</b> Disposable nitrile gloves desired.			<b>Eye Protection:</b> Safety glasses recommended.			
<b>Ventilation Requirements:</b> Adequate ventilation to keep vapor concentration below TLV.						
<b>Other Protective Clothing &amp; Equipment:</b> Eyewash station.						
<b>Hygienic Work Practices:</b> Do not eat, drink or smoke in work areas. Wash hands after handling.						
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE						
<b>Steps To Be Taken If Material Is Spilled Or Released:</b> Absorb spilled liquid with suitable medium. Do NOT flush to sewers or drains. Dispose according to local, state and federal regulations.						
<b>Waste Disposal Methods:</b> Ensure containers are empty prior to disposal. Dispose fluid according to local, state and federal regulations.						
<b>Precautions To Be Taken In Handling &amp; Storage:</b> Store in original shipping containers away from extreme heat and cold. Keep container closed when not in use.						
<b>Other Precautions &amp;/or Special Hazards:</b> <b>KEEP OUT OF REACH OF CHILDREN.</b> Read and follow all label directions. Remove ignition sources. Avoid food contamination.						

*We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.*

\*\* Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only