



MANUFACTURED BY:
KARDOL QUALITY PRODUCTS, INC.
265 S. West Street
Lebanon, OH 45036
(513) 933-8206 Fax: (513) 932-6900
For:
AUTO VALUE ASSOCIATES

MATERIAL SAFETY DATA SHEET
Trade Name: **VM & P NAPHTHA 5960-1**

SECTION I: Material Identification

Chemical Name	CAS	%	OSHA	(TWA)
VM & P	8030-30-6	100	300	ppm

SECTION II: Physical and Chemical Properties

Boiling Point: 250-300° F
 Vapor Pressure: 5 mm Hg at 20° F
 Vapor Density: Heavier than air
 Evaporation rate: 1.0 (n-Butyl Acetate = 1)
 Specific Gravity: 0.750 gm/cc
 Appearance & Odor: Clear liquid, little if any color. Characteristic odor(Light Hydrocarbon)

SECTION III: Fire and Explosion Data

Flash Point: 54° F
 Flammability Limits: LEL 0.9 UEL 6.0
 Extinguisher Media: Dry chemical, foam and CO2.
 Special Fire Fighting: Fire-fighter should wear self-contained breathing apparatus to avoid inhalation of smoke and vapor.
 Unusual Fire Hazard: This material is extremely flammable and may be ignited by heat, sparks, flame; or other sources of ignition. Vapors are heavier than air. May accumulate in low areas.

SECTION IV: Reactivity Hazard Data

This product is stable under normal conditions. Polymerization will not occur.
 Avoid: Storage in open container, prolonged storage above 100 F, exposure to excessive heat or open flame, strong acids or bases, oxidizing agents, amines, anhydrides.

SECTION V: Health Hazard Data

Primary routes of entry: Inhalation and Skin absorption.
 SIGNS & SYMPTOMS OF EXPOSURE: Irritating to skin, eye and all parts of respiratory tract. May cause depression of the nervous system.

EMERGENCY FIRST AID PROCEDURE:

Eye Contact: Flush promptly with copious amounts of water for 15 minutes, seek medical attention immediately.

Skin Contact: Wash thoroughly with soap and water. Remove contaminated cloth and seek medical attention.

Inhalation: Remove victim to a well ventilated area. Use oxygen or artificial respiration as required. Seek medical attention immediately.

INGESTION: **ASPIRATION HAZARD. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH.**
Seek medical attention immediately. Have label information available.

SECTION VI: Control and Protective Measures

Respiratory: Chemical respirator with self-contained air supply is required when concentration of vapor exceeds the established exposure limits.

Gloves: Plastic or rubber chemical resistant gloves are required.

Eye Protection: Full face shield or safety goggles is required.

Ventilation: Any combination of local and general ventilation to draw fumes away from workers.

Other measures such as protective clothing, shoes, eye wash station and safety showers should be available.

SECTION VII: Precautions for Safe Handling and Use

IN CASE OF SPILL: Extinguish all sources of flame and ignition. Absorb with inert material such as vermiculite or sand. Sweep up and collect in containers to dispose as solid waste. Wash the area with tri-sodium phosphate and water.

WASTE DISPOSAL: Dispose of in accordance with local, state, and federal laws and regulations.

OTHER PRECAUTIONS: Store in cool dry place, keep away from sources of heat and ignition. Use explosion proof equipment. Open containers slowly to relieve any internal pressure. Use with adequate ventilation.

DOT SHIPPING NAME:
NAPHTHA SOLVENT,
UN #1256, PG II
Non-Photochemically Reactive

HAZARD INDEX	
HEALTH	1
FLAMMABILITY	3
REACTIVITY	0

KEEP OUT OF REACH OF CHILDREN

N/A: NOT APPLICABLE

24 HOUR EMERGENCY NUMBER 1-800-424-9300 CHEMTREC

January 1996